

# Work Order ID 60108

June 24, 2010 11:41:57 AM



Page 1

Item ID: D350-604-041 Accept



Setup Start



Revision ID:

Stop



Item Name: Rear Locker Extender

Start Date: 6/24/10 Start Qty: 1.00



Cust Item ID:

Required Date: 8/06/10 Req'd Qty: 1.00



Customer:

Reference:

Run Start



Approvals: Process Plan: CX Date: 10/6/24 Tooling: \_\_\_\_\_ Date: \_\_\_\_\_

Stop



QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
----------	--------------

0.00

100



DOCUMENT CONTROL

0.00

DC

Memo

Document Control

Photocopy bluefile and create labels per PPP D350-604-041 CHG002

8/10/08/09

*Handwritten:* 9/24/09 MF 10/08/09

0.00

110



PURCHASING

0.00

Purchasing

Memo

Purchasing

Issue P/O: 12157  
Description: D350-604-041 Rear locker extender.  
Supplier: Delastek.  
Certification of Conformity and process sheet from Delastek is required.

4 x 2600-6 Camlock stud - Ship to Delastek B m114654

*Handwritten:* CX 10/6/24 ①

W/O:			WORK ORDER CHANGES					
DATE	STEP		PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

# Work Order ID 60108

June 24, 2010 11:41:57 AM



Page 2

Item ID: D350-604-041 Accept

Revision ID:

Item Name: Rear Locker Extender

Start Date: 6/24/10 Start Qty: 1.00

Required Date: 8/06/10 Req'd Qty: 1.00

Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_  
QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_



Setup Start



Stop



Cust Item ID:

Customer:

Run Start



Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120  Packaging Packaging	Receive & Inspect for Damage & Mat'l Certs Packaging Memo Ensure a copy of Certification of Conformity and process sheet from Delastek is attached.	0.00  0.00				① 10-8-07.			
130  QC Quality Control	QC5- Inspect part completeness to step on W/O  Memo Check hole locations to template. DT 8824 Check process sheet and audit.	0.00  0.00				④ 8/10/09			
140  Packaging Packaging	Pick Kit  Memo	0.00  0.00				10/8/9		⑩ SP	

W/O:			WORK ORDER CHANGES					
DATE	STEP		PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Work Order ID 60108

June 24, 2010 11:41:57 AM

Page 3

Item ID: D350-604-041

Accept

Revision ID:

Item Name: Rear Locker Extender

Start Date: 6/24/10 Start Qty: 1.00

Required Date: 8/06/10 Req'd Qty: 1.00

Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_

QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

Setup Start

Stop

Run Start

Stop

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150 QC Quality Control	QC4- 100% Inspect kits for completeness  Memo	0.00 0.00				(40)			
160 Packaging Packaging	Packaging  Memo Identify and pack for shipping as per PPP D350-604-041 <input type="checkbox"/> Location: <u>52</u> <input type="checkbox"/> PPP Rev: <u>G</u>	0.00 0.00				10/8/09			
170 QC Quality Control	QC21- Final Inspection - Work Order Release  Memo	0.00 0.00						10/08/09	

MEF  
10-8-09

W/O:			WORK ORDER CHANGES					
DATE	STEP		PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Picklist Print

June 24, 2010 11:41:56 AM

Page 1

Work Order ID: 60108

Parent Item: D350-604-041

Parent Item Name: Rear Locker Extender



Start Date: 6/24/10

Required Date: 8/06/10

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev:Q03.12.01 Reformat KJ/RF

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
2600-6  Camlock Stud		Purchased	No			100	Each	78.0000	4	4			
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST381		78							
				114238		4							
				114355		24							
				114654		50							
D2268  Decal		Manufactured	No			150	Each	10.0000	1	1			
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST010		10							
				57535		10							
D2269  Decal		Manufactured	No			120	Each	12.0000	1	1			
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST010		12							
				55728		2							
				57536		10							
D350-604-041P  Rear Locker Extender		Purchased	No			140	Each	0.0000	1	1			

2600-6  
10/8/95

1  
10/8/95

1  
60108 10/8/95

W/O:			WORK ORDER CHANGES					
DATE	STEP		PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


**NOTE:** Date & initial all entries





DESIGN BW	DRAWN BY CP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED [Signature]	APPROVED [Signature]	DRAWING NO. D350-604-041	REV. A SHEET 1 OF 1
DATE 02.04.01	TITLE REAR LOCKER EXTENDER ASSEMBLY		SCALE NTS
A	02.04.01	NEW ISSUE	
A1	02.04.23	ADD D2728-1 DECAL + ORIENTATION NOTE REAR LOCKER EXTENDER (D2273)	

RELEASED  
02.04.03



### D350-604-041 REAR LOCKER EXTENDER

NOTE: DECALS TO BE ORIENTED TO MATCH 'UP' ORIENTATION OF RLE


Copyright © 2002 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.




DESIGN JB	DRAWN BY <i>JP</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D2273	REV. D SHEET 1 OF 1
DATE 02.04.01	TITLE 350 REAR LOCKER EXTENDER		SCALE NTS
B	96.05.27	RE-DRAWN	
C	02.01.30	CLARIFY MATERIAL, LAYUP, AND TOOLING	
D	02.04.01	REMOVE EPOCAST, ADD SURFACE FINISH	

RELEASED  
02.04.03 *[Signature]*



NOTES:

- 1) LAMINATE PER DART QSI 006. LAMINATION SCHEDULE PER THIS DRAWING.
- 2) LAYUP USING DT8010 MOLD. WET LAYUP NO BAG/VACUUM.
- 3) TRIM & DRILL PER DT8020. OPEN HOLES TO  $\phi 0.257$  (4 PLACES).
- 4) MATERIALS:  
RESIN: DERAKANE 470-36/411/510A40  
FIBRE: 9oz = 9.7 oz 7781 WEAVE "S" GLASS  
18oz = 18.0 oz ROVING "E" GLASS.
- 5) CONSTRUCTION:  
101-WHITE GLOSS GELCOAT # GEL 944W005.  
102-9oz ALL OVER.  
103-18oz ALL OVER.  
104-18oz RE-INFORCE FRONT FLANGE EXTENDING 2" ON SIDES.  
105-9oz ALL OVER.  
106-PEEL PLY.
- 6) MATTE TO HOLD DOWN CORNERS AS REQUIRED.
- 7) FINISH THIS SURFACE WITH DUPONT HIGHBUILD GREY PRIMER 1144-S.
- 8) ALL DIMENSIONS ARE IN INCHES.



SECTION A-A

W10: 60108

Copyright © 1996 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

# DART SERVICE INSTRUCTION

TO AMEND INSTALLATION INSTRUCTIONS D350-604 REV. B

REF TCCA STC: SH90-4

REF FAA STC: SR00463NY

## PURPOSE:

The 2600-4 Camloc Studs may be too short for some installations.

## CHANGE:

The qty (4) 2600-4 Camloc Studs are replaced with longer 2600-6 Camloc Studs. It is acceptable to install either 2600-4 or 2600-6 Camloc Studs. The parts list of D350-604 Rev. B is amended as follows:

QTY	PART NUMBER	DESCRIPTION
-041		
X	D350-604-041	REAR CARGO COMPARTMENT EXTENDER ASS'Y







## IS:

4	2600-6	CAMLOC STUD
---	--------	-------------

## WAS:

4	2600-4	CAMLOC STUD
---	--------	-------------

CANADA  
DEPARTMENT OF TRANSPORT  
AIRCRAFT CERTIFICATION  
BRANCH  
DAO # 01-O-01  
  
APPROVED  
BY:   
D. SHEPHERD (DE # 02)  
  
DATE: 09.07.01  
CERT. NO.: SH90-4  
ISSUE NO.: 3

A	NEW ISSUE, NCR 09-046	CP	09.07.01
REV.	DESCRIPTION	BY	DATE
DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.		DSI 9470	SHEET 1 OF 1
APPROVED		TITLE	SCALE
DE APPR.		CAMLOC CHANGE	NTS
DATE	09.07.01	COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

# DELASTEK

AERONAUTIQUE

Delastek inc.  
2699 5e avenue  
Local 14, Porte -A-  
Grand-Mère, Québec G9T 5K7  
Can \*\* Fax (819) 533-3494 \*\*

## PACKING SLIP CERTIFICATE OF COMPLIANCE

Invoice #	34096
Customer #	DART US

Telephone: (819) 533-5788

Warehouse: MAIN

**Bill to:**

DART AEROSPACE LTD  
1270, Aberdeen Street  
Hawksbury, Ontario K6A 1K7  
Canada

**Ship to:**

DART AEROSPACE LTD  
1270, Aberdeen Street  
Hawksbury, Ontario K6A 1K7  
Canada

Telephone: 613-632-5200

Contact: Linda Lacelle

Ship via		F.O.B.		Terms		Salesperson	
Puro Collect		Origin		Net 30 days USA		Claude Lessard, ext. 233	
Ship date	Order Date	Our PO #	Order by	Your PO #		GST/PST #	
05/08/2010	28/06/2010	14583	Chantal Lavoie	PO12157			
Order Qty	B.O. Qty	Current Ship.	Item #	Item Description			
1	0	1	DKC134-0003	LINE 1 Rear Locker Extender D350-604-041P B60107 U de M : Each Référence DKA362-0004 DWG: D350-604-041 REV. A1 D2273 REV. D  <u>No. série</u> <u>No. lot</u> B60107 26292			
1	0	1	DKC134-0003	LINE 2 Rear Locker Extender D350-604-041P B60108 U de M : Each Référence DKA362-0004 DWG: D350-604-041 REV. A1 D2273 REV. D  <u>No. série</u> <u>No. lot</u> B60108 27332			
1	0	1	DKC134-0003	LINE 3 Rear Locker Extender D350-604-041P B60109 U de M : Each Référence DKA362-0004 DWG: D350-604-041 REV. A1 D2273 REV. D  <u>No. série</u> <u>No. lot</u> B60109. 27331			

It is hereby certified that all materials, process and finished items were controlled and tested in accordance with the requirements of the purchase order and applicable specifications. All such records are on file at our plant and available for review upon request.

Continued on next page

☒ Cust. ☐ Adm. ☐ Quality ☐ Ship.

Accepted by:

Quality department

AQ-357





Delastek inc.  
2699 5e avenue  
Local 14, Porte -A-  
Grand-Mère, Québec G9T 5K7  
Can \*\* Fax (819) 533-3494 \*\*

# PACKING SLIP CERTIFICATE OF COMPLIANCE

Invoice #	34096
Customer #	DART US

Telephone: (819) 533-5788

Warehouse: MAIN

Bill to:

DART AEROSPACE LTD  
1270, Aberdeen Street  
Hawksbury, Ontario K6A 1K7  
Canada

Ship to:

DART AEROSPACE LTD  
1270, Aberdeen Street  
Hawksbury, Ontario K6A 1K7  
Canada

Telephone: 613-632-5200

Contact: Linda Lacelle

Ship via		F.O.B.		Terms		Salesperson	
Puro Collect		Origin		Net 30 days USA		Claude Lessard, ext. 233	
Ship date	Order Date	Our PO #	Order by		Your PO #	GST/PST #	
05/08/2010	28/06/2010	14583	Chantal Lavoie		PO12157		
Order Qty	B.O. Qty	Current Ship.	Item #	Item Description			
1	0	1	DKC134-0003	LINE 4 Rear Locker Extender D350-604-041P B60110 U de M : Each Référence DKA362-0004 DWG: D350-604-041 REV. A1 D2273 REV. D  <u>No. série</u> B60110  <u>No. lot</u> 27333			

It is hereby certified that all materials, process and finished items were controlled and tested in accordance with the requirements of the purchase order and applicable specifications. All such records are on file at our plant and available for review upon request.

☒ Cust.    ☐ Adm.    ☐ Quality    ☐ Ship.

Accepted by:

Quality department    AQ-357



Date: Lundi, 2010-06-28 10:36:22  
Utilisateur: marc dubé

## Feuille de Procédé

Client : DART US DART AEROSPACE LTD

Numéro Job : 27332

Numéro Soumission : 3482

Numéro B.A. :

Cette fois : 2010-06-28 No. B.V. :

Prsht Rev. : NC

Prem. fois : - -

Job précédente : 27331

Type :

Nom Dessin : REAR LOCKER EXTENDER

Numéro Article : DKC134-0003

Numéro Dessin : D350-604-041 &amp; D2273

Projet Numéro : DK-362

Révision dessin : A &amp; D

Matériel : Derakane 470-36/411/510

Date Dûe : 2010-07-05

Qté:

1 Udm: UNITE

Écrit par :

Vérifié &amp; Approuvé par :

Commentaires :

N° de pièce Laminée Dart Aerospace: D2273

N° de pièce Assemblage Dart Aerospace: D350-604-041

Process Sheet Rév.: 00 Création du premier à partir de la révision  
12 du planning De Delastek Composites

B60108

## Produit additionnel

Numéro Job:



# Séq.:

Machine ou Opération:

Description :

1.0

AC0085

FREKOTE 3,78L 44-NC

Commentair Qty.: 0.02 UNITE(s)/Unit Total : 0.02 UNITE(s)

2.0

PRÉPARATION

Préparation du moule



Commentair Setup: 0.00Hrs/ Run: 15.0000Min Total Run : 0.2500Hrs

Nettoyer le moule à l'aide d'un chiffon humide et sécher à l'air. Selon I.F. # DKC134-0003-5.

Note: Afin que le frekote agisse pleinement, le moule doit être libre de toute contamination, enlever tout contaminants à l'aide de Frekote PMC, PMC Plus ou tout autre solvant afficace. Il est permit d'utiliser un abrasif (Doux) afin d'enlever tout accumulation de résine sur le moule.

Appliquer 2 couches de Frekote 44-NC à l'aide du chiffon propre en laissant sécher pendant 15 minutes entre les couches. Le séchage de la dernière couche doit être de 3 heures à température de la pièce avant d'appliquer le Gel Coat.

Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

3.0

AMB0350

Gel Coat Blanc N° Gel 944W005

Commentair Qty.: 1.580 UNITE(s)/Unit Total : 1.580 UNITE(s)

Gel Coat Blanc N° Gel 944W005

N° de Lot:

1-27706-1

4.0

AMB0286

Catalyst N° DDM-9

Commentair Qty.: 0.0070 GALLON(s)/Unit Total : 0.0070 GALLON(s)

Catalyst N° DDM-9

N° de Lot:

1-22176-1

Date: Lundi, 2010-06-28 10:36:23  
Utilisateur: marc dubé

## Feuille de Procédé

Client: DART US DART AEROSPACE LTD  
Numéro Job: 27332

Nom Dessin: REAR LOCKER EXTENDER  
Numéro Article: DKC134-0003

Numéro Job:



# Séq.:

Machine ou Opération:

Description :

5.0

AC0747

Acetone

Commentair Qty.: 0.200 KILOGRAMME(s)/Unit Total : 0.200 KILOGRAMME(s)

6.0

PREP-GENERAL

Préparation du matériel



Commentair Setup: 0.00Hrs/ Run: 30.0000Min Total Run : 0.5000Hrs

Faire la préparation du matériel selon I.F. # DKC134-0003-5 :

Dans une quantité de Gel Coat N° 944W005 ajouter 2% de Catalyst N° DDM-9 et diluer à l'aide de 10% D'acétone.

Date: 6-7-10

Sceau:



7.0

GEL COAT

Application du Gel Coat



Commentair Setup: 0.00Hrs/ Run: 20.0000Min Total Run : 0.3333Hrs

Selon I.F. 134-0003

À l'aide d'un fusil à gel coat appliquer une couche entre 15 et 20 millièmes de Gel Coat sur le moule N° DKG 362-010 et laisser sécher pendant un minimum de 2 heures avant de faire le lay-up, mais ne pas dépasser 24 heures de séchage selon l'instruction de travail N° Tec-70.

Note: Le gel coat ne doit contenir aucun "airdry" ni aucune cire. Et le temp de séchage est important afin d'éviter d'avoir des défauts de surface, et afin d'éviter que le tissu ne vienne marquer au travers du Gel Coat ainsi que d'éviter d'avoir un rétrécissement.

Autocontrôle de fabrication. ( Visuel du Gel Coat )

Date: 6-7-10

Sceau:



8.0

AMB0212

Résine (411B7530) 411-350 promo. 75min.

Commentair Qty.: 1.680 LITRE(s)/Unit Total : 1.680 LITRE(s)

Résine (411B7530) 411-350 promo. 75min

N° de Lot:

1-27817-1

9.0

AMB0286

Catalyst N° DDM-9

Commentair Qty.: 0.0070 GALLON(s)/Unit Total : 0.0070 GALLON(s)

Catalyst N° DDM-9

N° de Lot:

1-22176-1

10.0

AMB0214

9.7 oz Weave "S" glass #FG-778150-125Y Volan Finish

Commentair Qty.: 4.6 VERGE(s)/Unit Total : 4.6 VERGE(s)

9.7 oz Weave "S" glass #FG-778150-125Y Volan Finish

N° de Lot:

1-26697-1

Date: Lundi, 2010-06-28 10:36:23  
Utilisateur: marc dubé

## Feuille de Procédé

Client: DART US DART AEROSPACE LTD  
Numéro Job: 27332

Nom Dessin: REAR LOCKER EXTENDER  
Numéro Article: DKC134-0003

Numéro Job:



# Séq.:

Machine ou Opération:

Description :

17.0

DÉMOULAGE

Démoulage de la pièce



Commentair Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs

Selon I.F.# DKC134-0003-5.

Faire le démoulage de la pièce en poussant de l'air à l'intérieur tout en faisant bien attention de ne pas l'endommager .

Autocontrôle de fabrication.( Visuel )

Date:

8-7-10

Sceau:



18.0

TRIMAGE

Trimage / Rivetage



Commentair Setup: 0.00Hrs/ Run: 40.0000Min Total Run : 0.6667Hrs

Selon I.F.134-0002

Autocontrôle de fabrication.( Visuel et dimensionel selon le dessin )

Date:

9/07/10

Sceau:



19.0

AAC1021

Dupont Primer N° 7704S

Commentair Qty.: 0.3400 UNITE(s)/Unit Total : 0.3400 UNITE(s)

Dupont Primer N° 7704S

N° de Lot: 1-26804-3

20.0

AAC1101

N° 7775S, Dupont Activator - Reducer Chromabase

Commentair Qty.: 0.0670 UNITE(s)/Unit Total : 0.0670 UNITE(s)

N° 7775S, Dupont Activator - Reducer Chromabase

N° de Lot: 1-26804-2

21.0

PRIMER

Application primer



Commentair Setup: 0.00Hrs/ Run: 15.0000Min Total Run : 0.2500Hrs

Appliquer le primer selon I.G. 0008

Date:

13-07-10

Sceau:



22.0

AAC1607

Camlock Stud 2600-4 (or Monadnock 1126000-4)

Commentair Qty.: 4 UNITE(s)/Unit Total : 4 UNITE(s)

Camlock Stud 2600-4 (or Monadnock 1126000-4)

N° de Lot: 1-27798-1



Date: Lundi, 2010-06-28 10:36:23  
Utilisateur: marc dubé

## Feuille de Procédé

Client: DART US DART AEROSPACE LTD  
Numéro Job: 27332

Nom Dessin: REAR LOCKER EXTENDER  
Numéro Article: DKC134-0003

Numéro Job:



# Séq.:

Machine ou Opération:

Description :

23.0

AAC0682

Washer 2600-LW (1127700)

Commentair Qty.: 4 UNITE(s)/Unit Total : 4 UNITE(s)

Washer 2600-LW (1127700)

N° de Lot:

1-6687-1

24.0

ASSEMBLAGE

Assemblage mécanique



Commentair Setup: 0.00Hrs/ Run: 15.0000Min Total Run : 0.2500Hrs

Selon I.F. 134-0004

Démasquer la pièce.

Assembler les quatre (4) Camlock Stud N° 2600-4 à l'aide des Lock Washer N° 2600-LW. Selon l'instruction de travail N° I.G.#Pose de stud.

Autocontrôle de l'assemblage ( Visuel )

Date: 14/07/10 Sceau:



25.0

IDENTIFICATION

Identification à encre indélébile



Commentair Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs

Selon I.F. 134-0005

Faire l'identification de la pièce: N° de pièce D350-604-041

N° de Work Order: 27332

L'identification doit être vers l'extérieur.

Date: 14/07/10 Sceau:



26.0

INSPEC FINAL

Inspection finale



Commentair Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs

Faire l'inspection dimensionnelle et visuelle de la pièce selon le dessin.

Date: 14-7-10 Sceau:



27.0

EMBALLAGE

Emballage & Entreposage



Commentair Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs

Faire l'emballage de la pièce dans le contenant approprié.